

Package: tidyUSDA (via r-universe)

November 1, 2024

Type Package

Title A Minimal Tool Set for Gathering USDA Quick Stat Data for Analysis and Visualization

Version 0.4.1.9000

Description Provides a consistent API to pull United States Department of Agriculture census and survey data from the National Agricultural Statistics Service (NASS) QuickStats service.

License MIT + file LICENSE

URL <https://bradlindblad.github.io/tidyUSDA/>,
<https://github.com/bradlindblad/tidyUSDA/>

Depends R (>= 3.6)

Imports checkmate, crayon, dplyr, fuzzyjoin (>= 0.1.6), ggplot2, httr, jsonlite, magrittr, sf, tigris (>= 1.0)

Suggests covr, knitr, nlme, rmarkdown, spelling, stringi, testthat (>= 2.1.0), usethis, waldo

VignetteBuilder knitr

Encoding UTF-8

Language en-US

LazyData true

RoxygenNote 7.1.2

Repository <https://bradlindblad.r-universe.dev>

RemoteUrl <https://github.com/bradlindblad/tidyusda>

RemoteRef HEAD

RemoteSha f72e05aa43d1fbce9c6ea511b4490fe7ce5ceb75

Contents

allCategory	2
allCommodity	2

allCounty	3
allDataItem	3
allDomain	4
allGeogLevel	4
allGroup	5
allProgram	5
allSector	6
allState	6
getQuickstat	7
plotUSDA	8
tidyUSDA	9

Index**10**

allCategory	<i>All possible values from the CATEGORY field.</i>
--------------------	---

Description

All possible values from the CATEGORY field.

Usage

`allCategory`

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

allCommodity	<i>All possible values from the COMMODITY field.</i>
---------------------	--

Description

All possible values from the COMMODITY field.

Usage

`allCommodity`

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

allCounty

All possible values from the COUNTY field.

Description

All possible values from the COUNTY field.

Usage

`allCounty`

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

allDataItem

All possible values from the DATA ITEM field.

Description

All possible values from the DATA ITEM field.

Usage

`allDataItem`

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

allDomain	<i>All possible values from the DOMAIN field.</i>
-----------	---

Description

All possible values from the DOMAIN field.

Usage

allDomain

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

allGeogLevel	<i>All possible values from the GEOGRAPHY LEVEL field.</i>
--------------	--

Description

All possible values from the GEOGRAPHY LEVEL field.

Usage

allGeogLevel

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

<code>allGroup</code>	<i>All possible values from the GROUP field.</i>
-----------------------	--

Description

All possible values from the GROUP field.

Usage

`allGroup`

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

<code>allProgram</code>	<i>All possible values from the PROGRAM field.</i>
-------------------------	--

Description

All possible values from the PROGRAM field.

Usage

`allProgram`

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

allSector	<i>All possible values from the SECTOR field.</i>
-----------	---

Description

All possible values from the SECTOR field.

Usage

allSector

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

allState	<i>All possible values from the STATE field.</i>
----------	--

Description

All possible values from the STATE field.

Usage

allState

Format

A vector with 1 variable

Source

<https://quickstats.nass.usda.gov>

getQuickstat	<i>getQuickstat</i>
--------------	---------------------

Description

Get values from USDA Quick Stats in a dataframe with optional sf (simple features) geometry field

Usage

```
getQuickstat(  
  key = NULL,  
  program = NULL,  
  data_item = NULL,  
  sector = NULL,  
  group = NULL,  
  commodity = NULL,  
  category = NULL,  
  domain = NULL,  
  geographic_level = NULL,  
  state = NULL,  
  county = NULL,  
  year = NULL,  
  geometry = FALSE,  
  lower48 = FALSE,  
  weighted_by_area = FALSE  
)
```

Arguments

key	your USDA api key. Get one at https://quickstats.nass.usda.gov/api - string
program	program field - string
data_item	data_item field - string
sector	sector field - string
group	group field - string
commodity	commodity field - string
category	category field - string
domain	domain field - string
geographic_level	geographic_level field - string
state	state field - either a string or character vector with multiple states
county	county field - either a string or character vector with multiple states
year	year field - string

<code>geometry</code>	geometry field (TRUE or FALSE), set to TRUE if you would like a simple features (SF) geometry field included. Only works when <code>geographic_level</code> is set to 'COUNTY' or 'STATE'
<code>lower48</code>	limit data to the lower 48 states? - TRUE or FALSE
<code>weighted_by_area</code>	option to mutate a new column that takes the target ('Value') and divides it by the square miles in that state or county; only works when <code>GEOMETRY = TRUE</code> - TRUE or FALSE

Note

Go to the webpage <https://quickstats.nass.usda.gov/>. As a best practice, select the items in these fields and test that that data item exists in the browser before using those parameters in this function. When you have a dataset that works, enter those values in the function as parameters. Ideally, only enter values for your key obviously, then PROGRAM, DATA_ITEM, GEOGRAPHIC_LEVEL and then if necessary, DOMAIN, STATE, COUNTY or YEAR.

Examples

```
## Not run:
getQuickstat(
  key = "your_key",
  program = "CENSUS",
  data_item = "CROP TOTALS - OPERATIONS WITH SALES",
  geographic_level = "COUNTY",
  domain = "TOTAL",
  year = "2017",
  state = NULL,
  geometry = T,
  lower48 = T
)
## End(Not run)
```

Description

Quickly plot a data frame produced by the `getQuickstat()` function.

Usage

```
plotUSDA(df, fill_by = "Value")
```

Arguments

<code>df</code>	a data frame with a simple feature column (<code>geometry</code>)
<code>fill_by</code>	the value you would like to fill your choropleth output

Examples

```
## Not run:  
# Use output from getQuickstat()  
plotUSDA(df = df_from_getQuickstat)  
  
## End(Not run)
```

tidyUSDA

tidyUSDA: An Interface to USDA QuickStats Data with Mapping Capabilities.

Description

A minimal toolset for gathering USDA Quick Stat data for analysis and visualization.

Author(s)

Maintainer: Brad Lindblad <me@bradlindblad.com>

Other contributors:

- Michael Thomas <mthomas@ketchbrookalytics.com> [contributor]
- Alex Mindeman <alexandramindeman@gmail.com> [contributor]

See Also

Useful links:

- <https://bradlindblad.github.io/tidyUSDA/>
- <https://github.com/bradlindblad/tidyUSDA/>

Index

* datasets

allCategory, [2](#)
allCommodity, [2](#)
allCounty, [3](#)
allDataItem, [3](#)
allDomain, [4](#)
allGeogLevel, [4](#)
allGroup, [5](#)
allProgram, [5](#)
allSector, [6](#)
allState, [6](#)

allCategory, [2](#)
allCommodity, [2](#)
allCounty, [3](#)
allDataItem, [3](#)
allDomain, [4](#)
allGeogLevel, [4](#)
allGroup, [5](#)
allProgram, [5](#)
allSector, [6](#)
allState, [6](#)

getQuickstat, [7](#)

plotUSDA, [8](#)

tidyUSDA, [9](#)
tidyUSDA-package (tidyUSDA), [9](#)